

Test-King.C2150-197.87Questions

Number: C2150-197
Passing Score: 800
Time Limit: 120 min
File Version: 4.6

TEST-KING

C2150-197

IBM Security Identity Manager V6.0 Implementation

- ➡ I passed my exam yesterday with 933/1000. And all these were not at all possible without the expert materials of Test-King.
- ➡ ALL the questions are properly given with complete explanation.
- ➡ I get the best practice material from this source which is compatible with exam and certification that you seek.
- ➡ 100% Valid in US, UK, Australia, India and Emirates. All my friends in group have these same questions.
- ➡ It really looks fresh and updated. Questions cover all the new areas of new exam pattern.
- ➡ It is accumulated material. I assure you if you prepare from this dump, you will not need to study from any material.

Exam A

QUESTION 1

How would you create an organizational structure in ISIM for a customer to manage 50,000 users and 900 servers?

- A. Create an organization structure where users can be placed into multiple user OUs based on placement rule that evaluates user attributes. Services on which a user can have accounts must be defined in the same OU as the user.
- B. Create an organization structure where users can be placed into multiple user OUs based on placement rule that evaluates user attributes. Services on which a user can have accounts can be defined in a separate OU.
- C. Create two separate OUs for users and services. All users need to be in the same OU in ISIM, and organization roles must be defined at level that is higher than the user OU.
- D. Create a single Organizational Unit (OU) under the default Organization to anchor users and services and their associated policies.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Okay.

QUESTION 2

Separation of Duty policies create mutually exclusive relationship between what in order to protect sensitive information from conflicts of interest?

- A. Provisioning policies
- B. Accounts
- C. Groups
- D. Roles

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

To configure logging to diagnose an issue with the WinAD64 adapter, which of the following must be performed using AgentCfg?

- A. Enable activity logging
- B. Enable thread logging

- C. Enable detail logging
- D. Enable base logging

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

answer is updated.

QUESTION 4

Which of the following will disable the footer in the administrative user interface?

- A. enrole.ui.footer=disabled
- B. ui.adminInterface.footer=false
- C. enrole.ui.footer.visibility=0
- D. ui.footer.isVisible=no

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0/com.ibm.isim.doc_6.0/reference/ref/ref_i_c_props_supp_ui.htm)

01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0/com.ibm.isim.doc_6.0/reference/ref/ref_i_c_props_supp_ui.htm

QUESTION 5

What is the purpose of creating a custom Person entity?

- A. To rename the user records in the IBM Security Identity Manager (ISIM).
- B. To include enterprise-specific attributes associated with a person.
- C. To separate Person from Business Partner Person.
- D. To protect the privacy of the person.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

exact answer.

QUESTION 6

The number of items displayed in the IBM Security Identity Manager (ISIM) Administrator Console has been updated to a value of 100 in the test environment. What are the two options below to update the Production environment? (Choose two)

- A. Update the value using the system configuration tool. (runConfig)
- B. Manually update the values in the SelfServiceUI.properties file
- C. Update the value using the import/export feature in ISIM.
- D. Manually update the value in the enRole.properties file.
- E. Manually update the value in the ui.properties file.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

Given an IBM Security Identity Manager solution that is integrated with QRadar Log Management, which polling sequence is enabled?

- A. User-defined mode
- B. Real-time mode
- C. Server mode
- D. Batch mode

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

right.

QUESTION 8

When considering forms associated with Service, Accounts and Service Group categories, what two forms can be customized?

- A. The Account form for accounts associated with a specific service type can be customized.
- B. The Service Group form for groups associated with a specific service can be customized.
- C. The Account form for accounts associated with a specific service can be customized
- D. The Service Group form for a specific group value can be customized.

E. The Service form for a specific service can be customized.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

valid answer.

QUESTION 9

Which recertification policy options need to be considered when designing a recertification policy?

- A. Who approves the recertification request what action to take when recertification rejected, who to send rejection email to
- B. Who rejects the recertification request, who approves the recertification request, who to send rejection email to
- C. Who approves the recertification request, account owner email notification, manager email notification
- D. Who approves the recertification request, what approval action to take, who to send approval email to

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Which file controls the redirection and mapping of administrative console html help? .

- A. helpmapping.properties
- B. helpconsole.properties
- C. helpmapping.css
- D. ui.properties

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/t sk/tsk_ic_cfgsys_admin_changehelp.htm?lang=en)

01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/t sk/tsk_ic_cfgsys_admin_changehelp.htm?lang=en

QUESTION 11

What is the recommended SOAP timeout interval, used when installing fix packs?

- A. 30 seconds
- B. 15 minutes
- C. 1 minute
- D. 1 hour

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSTFWV_5.1.0/com.ibm.itim.doc/ims510_install179.htm%23tsk_ins_fix_setsoap (expand installation and configuration guide, appendix C, setting the soap timeout interval)

QUESTION 12

Which configuration must be in place to allow new account passwords to be emailed in clear text?

- A. Property "enrole.mail.notify=" set to 'ASYNC in enRole.properties
- B. "Enable store forwarding" checked on Post Office configuration
- C. sharedsecret attribute populated on person objects
- D. Enrole.workflow.notifyPassword set to true

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Okay.

QUESTION 13

Password synchronization provides change to accounts of which ownership type?

- A. Device
- B. System
- C. Individual
- D. All of the above

Correct Answer: C

Section: (none)
Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/cpt/cpt_ic_ownershipypes_oview.htm

QUESTION 14

In a web SSO environment, what is a valid step in the deployment plan to achieve integration between ISIM and web SSO product for implementing Forgotten Password functionality?

- A. ISIM's Forgotten Password function must get the challenge questions from the web SSO product and change ISIM service's password.
- B. ISIM's Forgotten Password function will automatically bounce the request to web SSO product's Forgotten Password function.
- C. The web SSO product's Forgotten Password function can get the challenge questions from ISIM.
- D. The web SSO's forgotten password function cannot be used - only ISIM's forgotten password function must be used.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

answer is 100% true.

QUESTION 15

A IBM Tivoli Directory Integrator (ITDI) assembly line has been configured as the IBM Security Identity Manager (ISIM) identity feed. ISIM is setup to only accept connections over SSL using self-signed certificate. What must be done in order for ITDI to communicate with ISIM?

- A. ISIM's self-signed certificate will need to be imported as a trusted signer certificate in the ITDI certificate store.
- B. The ISIM default truststore will need to be updated before connections can be made.
- C. Since ITDI is a component of the ISIM solution no specific configuration is required.
- D. The service in ISIM will need to be configured for SSL.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

The client's IBM Security Identity Manager (ISIM) production environment consists of a two node IBM Websphere Application cluster. Server #1 has the

Websphere Deployment Manager installed as well as one of the cluster nodes. Server #2 in the cluster just has the node installed. If a process monitor is being configured on Server #1 how many Java processes are there related just to Websphere?

- A. 4 - Deployment Manager process, Node process, Application Server process, Messaging Server process
- B. 1- Deployment Manager and Node processes run under a single Java process
- C. 3 - Deployment Manager process, Node process, Application Server process
- D. 2 - Deployment Manager process and Node process

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

Which two db2 commands must be performed in order to collect information for calculating a db2 bufferpool hit ratio? (Choose two)

- A. Update dbm cfg using DFT_MON_BUFPOOL ON
- B. Get database manager configuration
- C. Get database configuration
- D. Get database snapshot
- E. Get monitor switches

Correct Answer: DE

Section: (none)

Explanation

Explanation/Reference:

Reference: http://publib.boulder.ibm.com/infocenter/dmndhelp/v6r1mx/index.jsp?topic=/com.ibm.websphere.bpc.612.doc/doc/bpc/t5tuneint_fine-tune_db.html

QUESTION 18

When gathering requirements for a Roles Administration design, which would static and dynamic roles be associated?

- A. In the design of the Organization tree
- B. In the design of Password policies
- C. In the design of a LDAP Adapter
- D. In the design of a work flow

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

QUESTION 19

What is the Linux path and command to verify that ISIM v6.0 is currently running?

- A. WAS_PROFILE_HOME/bin/serverStatus.sh -all
- B. WAS_PROFILE_HOME/var/status.sh
- C. ISIM_HOME/var/serverStatus.sh -all
- D. ISIM_HOME/bin/serverStatus.sh-all

Correct Answer: A
Section: (none)
Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/installing/tsk/tsk_ic_ins_ver_wasruns.htm?lang=en

QUESTION 20

Which two identity feed service types come with the out of the box IBM Security Identity Manager (ISIM)? (Choose two)

- A. AD Organizational Person Identity Feed (Microsoft Windows Active Directory)
- B. Generalize XML identity feed
- C. Database Identity Feed
- D. DSML Identity Feed
- E. DAML Identity Feed

Correct Answer: BD
Section: (none)
Explanation

Explanation/Reference:

QUESTION 21

When planning for backup and recovery, which of these components must be covered in the planning document?

- A. LDAP database instance, WAS profiles, HTTP server profiles, TDI adapters, SSUI customization files, all audit and reporting data after a data synchronization. Database instance backup is not needed as the data other than the audit and reporting data is transient in nature.
- B. LDAP database instance, WAS profiles, TDI adapters, SSUI customization, and the adapter data directory with the profiles and any adapter configuration, as well as the ISIM install data subdirectory under the home directory.
- C. ISIM database instance, LDAP database instance, WAS profiles, HTTP server configuration, TDI adapter configuration, ISIM configuration files. Adapter profiles and configuration.
- D. ISIM database instance. TDI assembly line XML documents, WAS cluster profiles, adapter data directory, and the report configuration files.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

definite answer.

QUESTION 22

A user is a member of two ISIM groups. Each group is a member in two separate Access Control Items (ACIs), ACI1 and ACI2 on Static Organizational Roles. Each group also has a separate UI View associated with it, called View1 and View2.

Which statement is correct in describing the access granted or denied to the user?

- A. The user will be able to create a static organizational role via the Java API if access to Create operation is granted in ACM and ACI2, and if View1 or View2 allow access to the Manage Roles task.
- B. The user will have access to create a static organizational role if its granted by ACI1 regardless of whether ACI2 grants, denies or provides none access to the Create operation.
- C. The user has a view of only the common tasks provided by both View1 and View2 in the ISIM Admin User Interface or ISIM Self Service User Interface.
- D. The user has a merged view of all the tasks provided by View1 and View2 in the ISIM Admin User Interface or ISIM Self Service User Interface,

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 23

When you create a custom Person or BPPerson type entity, how is the actual LDAP class that stores the entity created?

- A. IBM Security Systems Identity Manager will recognize the new attributes from data feed and create the objectclass automatically.

- B. Custom LDAP classes and their attributes must be created directly within your LDAP data repository.
- C. Use the ldapconfig tool provided by IBM Security Systems Identity Manager to create the objectclass.
- D. Modify the person form and specify the attributes to include for the new entity.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/t sk/tsk_ic_entity_add.htm?lang=pl (third para)

QUESTION 24

Where is the correct location for verifying database connections to ISIM v6.0?

- A. WebSphere administrative console
- B. ISIM database connection log
- C. ISIM 6 Management Console
- D. WebSphere transaction log

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/installing/tsk /tsk_ic_ins_ver_db.htm?lang=en

QUESTION 25

What is the default location for the Tivoli Common Reporting Pack?

- A. <isim home>/reporting
- B. <isim home>/jdbc/lib/data
- C. <isim home>/opt/reporting
- D. <isim home>/extensions/6.0/tcr

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: <http://www-01.ibm.com/support/docview.wss?uid=swg21637885>

QUESTION 26

An adoption policy matches the attributes for an account on a managed resource to the attributes for an IBM Security Identity Manager user.

If there is more than one person evaluated as the owner of the account, how is the account assigned?

- A. The account is randomly assigned to one of the matched person.
- B. The account is assigned to the system administrator.
- C. The account is assigned to the first matching person.
- D. The account is orphaned.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Best answer.

QUESTION 27

The customer's design calls for a new custom person entity to be created.

What is a valid statement regarding operations that can be carried out on the new person entity?

- A. The custom person entity will inherit only System Defined operations of Person entity type. These can be customized and new operations can be defined.
- B. The custom person entity will inherit all operations of Person entity type. These cannot be customized, but new operations can be defined.
- C. The custom person entity will inherit all operations of Person entity type. These can be customized, and new operations can be defined.
- D. The custom person entity will not inherit any operations of Person entity type. All needed operations will need to be defined.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:**QUESTION 28**

What special consideration needs to be taken when loading xhtml labels into a custom labels file?

- A. Escape characters need to be used for tag characters such as "("
- B. No more than 255 characters can be used per label
- C. Closing tags are no longer needed (</body>)
- D. Each entry must contain a <body> tag

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

Which of the following is NOT a valid certificate type for use with an ISIM v6.0 Adapter?

- A. Certificate Authority (CA) certificates
- B. Signature verification certificates
- C. DER Self Signed certificates
- D. Object signing certificates

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

The Recycle Bin has been activated, the Recycle Bin Age is set to 62 days, and the IdapClean script is set to run daily.

When IdapClean completes, which statement is true?

- A. Some objects in the Directory Server's Recycle Bin may not be deleted even if age is greater than Recycle Bin Age Limit.
- B. All objects in the Directory Server's Recycle Bin will be deleted regardless of age greater than Recycle Bin Age Limit.
- C. All objects in the Directory Server's Recycle Bin will be deleted if their age is greater than Recycle Bin Age Limit.
- D. Objects in the Directory Server's Recycle Bin will be deleted if their age is less than Recycle Bin Age Limit.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Best answer.

QUESTION 31

When upgrading IBM Security Identity Manager (ISIM) from a previous version to v6 which two middleware components might have to be upgraded? (Choose two)

- A. Websphere Application Server
- B. Database Server
- C. SMTP Server
- D. HTTP Server
- E. Mail Server

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:**QUESTION 32**

Which two items are relevant when considering an increase of the ISIM 1TDS directory instance entry cache size? (Choose two)

- A. Available memory per process in the operating system
- B. Number of attributes defined in v3.modifiedschema
- C. Number and size of user and accounts objects
- D. Current setting of ibm-slapdSizeLimit
- E. Number of indexed attributes

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

fine.

QUESTION 33

What occurs when a Separation of Duty policy exemption is revoked?

- A. A person modify request is generated requesting that the conflicting roles be removed.
- B. The violation is displayed in the list of violations of the policy
- C. The conflicting roles are removed from the violators
- D. The violators of the policy are suspended

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0/com.ibm.isim.doc_6.0/admin/tsk/tsk_ic_a_dmin_sodpolicy_revokeexemptions.htm?lang=en)

[01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0/com.ibm.isim.doc_6.0/admin/tsk/tsk_ic_a_dmin_sodpolicy_revokeexemptions.htm?lang=en](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0/com.ibm.isim.doc_6.0/admin/tsk/tsk_ic_a_dmin_sodpolicy_revokeexemptions.htm?lang=en)

QUESTION 34

When the role CheckWtiter is assigned to a user, a maximum check amount limit must be specified.

What is the recommended design option to implement this requirement?

- A. Advise the customer this requirement involves a custom schema and a custom UI.
- B. Create an Assignment attribute on the CheckWriter role called MaxCheck Amount.
- C. Create multiple roles, one for each check writer's maximum check amount.
- D. Extend the role schema to add an attribute called MaxCheckAmount.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

A static, constant value which can be assigned to an entitlement parameter for a single or multi- valued attribute is an example of:

- A. Provisioning policy steady state functions
- B. Provisioning policy JavaScript functions
- C. Provisioning policy Null types
- D. Provisioning policy constant

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/reference/cpt/cpt_ic_admin_provisionpolicy_parameters.htm)

[01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/reference/cpt/cpt_ic_admin_provisionpolicy_parameters.htm](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/reference/cpt/cpt_ic_admin_provisionpolicy_parameters.htm)

QUESTION 36

Where would one go to download the latest version of a specific IBM Security Identity Manager (ISIM) adapter?

- A. IBM Passport Advantage Website
- B. ISIM Administration Guide
- C. ISIM Infocenter Website
- D. ISIM Installation Guide

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

Life cycle rule is triggered automatically by which event?

- A. A schedule and matching criteria evaluated against an entity.
- B. External event.
- C. Schedule only.
- D. Internal event.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

What components in a IBM Security Identity Manager (ISIM) environment can be configured for SSL communication?

- A. HTTP Server, Websphere Application Server, Directory Server, Tivoli Directory Integrator, and Adapters

- B. HTTP Server and Adapters
- C. Tivoli Directory Integrator. HTTP Server, and Adapters
- D. HTTP Server and Tivoli Directory Server

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

Which two statements are correct for a loop node in a workflow? (Choose two)

- A. Nodes inside a loop can transition to activities outside the loop provide `process.goto("Activity_ID")` is used on the transition.
- B. To retrieve an instance of an activity in a loop, the `process.getActivity` method is passed two parameters.
- C. The loop node does not specify the results of the nodes in the loop.
- D. `loopcount` is a local variable available only in the loop node.
- E. Index of activities in a loop starts with zero.

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cpt_ic_wkflo_node_loop.htm)

[01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cpt_ic_wkflo_node_loop.htm](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cpt_ic_wkflo_node_loop.htm)

QUESTION 40

Which is TRUE concerning the configuration of Reminder Interval within Workflow Notification Properties?

- A. Reminder Interval can be overridden within individual workflow activities
- B. Reminder Interval must be greater than the default escalation limit
- C. Reminders can be suppressed by setting Reminder Interval to 0
- D. Reminder Interval is specified in days

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSTFWV_5.1.0/com.ibm.itim.doc/tsk/tsk_ic_wkflo_cfg_r_emindinterval.html

QUESTION 41

A service is created in IBM Security Systems Identity Manager (ISIM) for IBM Directory Integrator (IDI) data feed. Which field in the ISIM service form is used to match the IDI data feed?

- A. A unique identifier of the service
- B. Name attribute in the service
- C. The name of the service
- D. The naming context

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

Which of the following is not a valid command line switch when installing TDI 7.1 on windows?

- A. install_tdiv711_win_x86.exe -i
- B. install_tdiv711_win_x86.exe-m
- C. install_tdiv711_win_x86.exe -f
- D. install tdiv711 win x86.exe -r

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSCQGF_7.1.0/com.ibm.IBMDI.doc_7.1/adminguide12.htm%23instnew

QUESTION 43

Which option describes a best practice for IBM Security Identity Manager HA environment?

- A. Install a cluster environment with two nodes and add additional nodes later as necessary
- B. Install a single-server environment and add more servers later as necessary

- C. Install a single-server environment as a managed node in a WebSphere cell
- D. Install a cluster environment with one node

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: [https://www.ibm.com/developerworks/community/wikis/home?lang=en#!/wiki/Tivoli %20Identity%20Manager/page/IBM%20Tivoli%20Identity%20Manager%204.6%20High %20Availability%20Architecture](https://www.ibm.com/developerworks/community/wikis/home?lang=en#!/wiki/Tivoli%20Identity%20Manager/page/IBM%20Tivoli%20Identity%20Manager%204.6%20High%20Availability%20Architecture)

QUESTION 44

When planning for customization, how would you handle local changes to attributes in the Microsoft Active Directory?

- A. Define a new profile for the AD adapter, set up an extended schema mapping file, and build a form to collect those elements.
- B. Run reconciliation against the Active Directory to obtain the values of the attributes.
- C. Set up a provisioning policy to manually create accounts in Active Directory.
- D. Use the adapter development toolkit to set up another MSAD adapter.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

Your customer has four important business systems that drive their environment. Which of these systems would be the highest priority for a services design and adapter plan?

- A. A virtualization host system used for application development and testing by everyone in the IT department.
- B. A database system that is accessed by every individual enterprise application via a JDBC connector.
- C. An employee portal system running on WebSphere used for general HR, email, and company news.
- D. An accounting system accessed by the financial team only when authorized by the CFO.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

A customer's availability requirements need to minimize the risk of an ISIM outage due to a hardware server failure.

Which two are relevant architecture choices? (Choose two)

- A. Propose the WebSphere Application Server and Database Server be on the same physical server, but the Directory server be on a separate physical server.
- B. Propose the WebSphere Application Server and Directory Server be on the same physical server, but the Database server be on a separate physical server.
- C. Propose Directory Server replicas and DB2 Database Server log shipping from primary active server to secondary standby server.
- D. Propose a horizontal WebSphere Application Server cluster.
- E. Propose a vertical WebSphere Application Server cluster.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

Which concerns should be addressed by a systems architecture document?

- A. Security policy, account standardization, overall business requirements
- B. Disaster recovery, performance, high availability, deployment topology
- C. Capacity requirements, uptime requirements, simplicity, and price
- D. Service priorities, identity feeds, approval cycles, and auditing

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48

Which document describes the relationship between the business requirements and the features of the Security Identity Manager that will be included in the initial solution rollout?

- A. Solution Architecture Document
- B. Security Policy Design
- C. Feature Inclusion List
- D. Initial Project Plan

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49

Your customer has requested that you interface their existing management reporting system based on a commercially available business intelligence tool that features the ability to read any relational database. Which of the following considerations would be part of your design?

- A. You will need to set up external data synchronization to update the reporting tables before allowing the BI tool to generate reports.
- B. All that is needed is to define a connector to the database, the database tables are always current.
- C. Views will need to be defined to allow the BI tool to view the data.
- D. You must check to see if the BI tool can read an LDAP directory.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

Which IBM Security Identity Manager properties file contains SSO settings?

- A. enroleStartup.properties
- B. enRole.properties
- C. sdo.properties
- D. ui.properties

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/trouble/cpt/c_pt_ic_trouble_customization_problems.htm?lang=en)

01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/trouble/cpt/c_pt_ic_trouble_customization_problems.htm?lang=en

QUESTION 51

What feature in DB2 should be enabled to automate memory allocation within areas of DB2, (buffer pools, sort heap, package heap)

- A. Self-Tuning Memory Manager
- B. Server side sorting
- C. Directory caching
- D. RUNSTATS

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://books.google.com.pk/books?id=P8n96-](http://books.google.com.pk/books?id=P8n96-iG5XsC&pg=PA74&lpg=PA74&dq=feature+in+DB2+should+be+enabled+to+automate+memory+allocation+within+areas+of+DB2&source=bl&ots=nbP9icW-)

mg&sig=RhmIVuccgIE5O7TalkX4dnkDMW8&hl=en&sa=X&ei=NAPdU9eHPMaO7AaK2IDgCw&ved=0CDwQ6AEwBA#v=onepage&q=feature%20in%20DB2%20should%20be%20enabled%20to%20automate%20memory%20allocation%20within%20areas%20of%20DB2&f=false

QUESTION 52

In order to debug a problem with the ISIM Workflow Designer, you have enabled applet logging and have specified DEBUG_MAX for the tracing level.

Where will the expected trace output be written?

- A. Websphere SystemOut.log
- B. Java Console
- C. ISIMtrace.log
- D. audit.log

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:**QUESTION 53**

When moving from a previous version of IBM Tivoli Identity Manager (ITIM) to a ISIM v6 what directory is required in order to signal an upgrade?

- A. IBM Websphere Application Server home directory.
- B. IBM HTTP Server home directory
- C. IBM Java home directory
- D. ISIM home directory

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 54

Your customer would like to display some of the functions of the Self Service user interface within a portal they have developed for internal use. They would like to show only the operations for a subset of the task boxes on the self-service user interface. How do you accommodate their request?

- A. Change the CSS files so that the banner, footer, and toolbar are no longer visible.
- B. Modify the SelfServiceUI.components.layout properties file.
- C. Change the JSP files in the EAR subdirectory.
- D. Modify the values of the ui.layout properties.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSTFWV_5.1.0/com.ibm.itim.doc/tsk/tsk_ic_cfgsys_chan_gelayout.html?lang=en (expand configuring, user interface customization overview, self-service user interface customization, see customizing web site layout)

QUESTION 55

What does `IdentityPolicy.getNextCount(baseld)` in an identity policy return, where `baseld` is the value of the base user ID? (Choose two)

- A. It returns the iteration number that the identity policy is running to identify the number of times a user name had to be generated before a unique one could be found.
- B. It returns the next user ID that is generated according to the rules in the Identity policy but does not check for uniqueness.
- C. It returns a number that can be appended to the end of the user name to make that user name unique.
- D. It returns the number of conflicts the passed user name has against all services configured in ISIM.
- E. It returns -1 if the user name is already unique.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 56

When gathering requirements for email notifications, which mail protocol is used to send email notifications in the IBM Security Identity Manager environment?

- A. SMTP protocol
- B. IMAP protocol
- C. UDP protocol
- D. TCP protocol

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 57

A services selection policy is evaluated under which of the two scenarios? (Choose two)

- A. When a user is added to an organizational role that is a member of a provisioning policy that targets the service selection policy.
- B. When account workflows related to services are referenced in the service selection policy.
- C. Whenever a new service is added to ISIM.
- D. When policy join behavior is modified.
- E. When user's attributes are modified.

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/admin/cpt/cp_t_ic_admin_servselpolicy.htm)

01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/admin/cpt/cp_t_ic_admin_servselpolicy.htm (see the bulleted points)

QUESTION 58

When gathering requirements for Identity Policy, which ID will define the rule to generate the user ID?

- A. Application Owner
- B. Administrator
- C. Manager
- D. Auditor

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/admin/cpt/cp_t_ic_admin_identitypolicy.htm?lang=fr

QUESTION 59

How should a reconciliation schedule be configured to ignore certain accounts and certain attributes for a service?

- A. Update a attribute exclusion list through the administrative console.
- B. Select what attributes to return from the available attribute list.
- C. Add a valid LDAP filter that will return the desired accounts.
- D. Add Java script to filter out accounts.
- E. Select supporting data only option.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

When gathering requirements for data to be loaded, which data feed is natively supported by IBM Security Identity Manager?

- A. A data feed using Microsoft Word format
- B. A data feed using binary data format
- C. A data feed using the SOAP format
- D. A data feed using DSML format

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

rectified answer.

QUESTION 61

When designing a custom adapter, which of the following areas will have the largest impact on design scope and implementation complexity?

- A. The number of attributes included in the reconciliation operation.
- B. The number of group definitions used by the platform.
- C. The password strength policy.
- D. The service definition profile.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

Which two options correctly describe the recycle bin in IBM Security Identity Manager (ISIM)? (Choose two.)

- A. The recycle bin age limit is the number of days after which an object in the recycle bin is eligible for deletion by the Identity Manager IdapClean cleanup script.
- B. The recycle bin can be explicitly emptied by running the Identity Manager runConfig script and setting the Recycle Bin Age Limit parameter to 0 (zero).
- C. The recycle bin age limit is the number of days, after which the recycle bin is emptied automatically.
- D. The recycle bin is disabled by default in ISIM and must be enabled explicitly.
- E. The recycle bin is a feature that is no longer available in ISIM version 6.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/installing/tsk/tsk_ic_ins_first_runconfig_manual.htm)

[01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/installing/tsk/tsk_ic_ins_first_runconfig_manual.htm](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/installing/tsk/tsk_ic_ins_first_runconfig_manual.htm)

QUESTION 63

When gathering requirements for work flows, which business process might require a manager approval?

- A. When a business process is defined for an application owner to be notified on account deletions
- B. When a business process is defined to approve last name change due to marriage
- C. When a business process is defined for an employee vacation request approval
- D. When a business process is defined for contractor address change

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

modified answer.

QUESTION 64

Which two of the following are valid join directive types built-in ISIM?

- A. Precedence_Sequence
- B. Concatenate
- C. Greatest
- D. Average
- E. Xor

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/cpt/cpt_ic_policy_joindirectives.htm)

01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/cpt/cpt_ic_policy_joindirectives.htm (see the table)

QUESTION 65

Which of the following adapters are NOT installed by default?

- A. LDAP profile (LDAP adapter)
- B. Linux profile (Linux adapter)
- C. AIX profile (UNIX adapter)
- D. AD profile (AD adapter)

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.3/com.ibm.isim.doc_6.0.0.3/overview/cpt/cpt_ic_release_oview_supportedadapters.htm?lang=en

QUESTION 66

Which two of the following are valid recertification policy schedule types? (Choose two)

- A. Run after service reconcile
- B. Run after policy update
- C. Calendar
- D. Rolling
- E. Daily

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/admin/cpt/cpt_ic_admin_recertpolicy_message.htm

QUESTION 67

An ITIM v5.x customer deploys password synchronization across user accounts using web services clients to connect to ITIM v5.1 by consuming Web Services Description Language (WSDL) files.

Which item(s) may need to be transformed or augmented when planning a migration from ITIM v5.x to ISIM v6.0?

- A. WSDL files of ISIM v6.0, ownership type of account objects
- B. Service form definitions and reconciliation schedules
- C. Web Services client code and service object data
- D. Web Services client code

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68

Which entity always applies to all users in the organization tree?

- A. Dynamic role membership
- B. Static role membership
- C. Provisioning policy
- D. Work flow

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSTFWV_5.1.0/com.ibm.itim.doc/cpt/cpt_ic_plan_orgtree_scope_role.html?lang=en)

[01.ibm.com/support/knowledgecenter/SSTFWV_5.1.0/com.ibm.itim.doc/cpt/cpt_ic_plan_orgtree_scope_role.html?lang=en](http://www-01.ibm.com/support/knowledgecenter/SSTFWV_5.1.0/com.ibm.itim.doc/cpt/cpt_ic_plan_orgtree_scope_role.html?lang=en)

QUESTION 69

When gathering requirements for Access Control which access level should be identified?

- A. Multiple branch tree structure with a set of open nodes
- B. Hierarchical tree structure with a set of linked nodes
- C. Linked list tree structure with a set of linked nodes
- D. Sub-tree structure with a set a defined nodes

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 70

An adapter is a software component that provides an interface between a managed resource and IBM Security Identity Manager. Which two statements are true? (Choose two)

- A. An agent less adapter can be on a remote system from the managed system, in order to administer accounts.
- B. An agent-based adapter must be on the managed resource, in order to administer accounts.

- C. All adapters provided by IBM are implemented using IBM Directory Integrator technology.
- D. IBM provides Adapters for all managed systems and all can be customized.
- E. Custom adapters are required to go through a stringent review process.

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

Reference:

https://publib.boulder.ibm.com/infocenter/tivihelp/v5r1/topic/com.ibm.itim.infocenter.doc/pdf/im_x_oview.pdf (page 18)

QUESTION 71

When 'Enable store forwarding' is checked in the ISIM Post Office configuration, where is "Group Email Topic" specified?

- A. In the XHTML section of workflow notification templates
- B. In the subject of the aggregate message template
- C. In the workflow designer
- D. In enRoleMail.properties

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/t sk/tsk_ic_postoffice_enable.htm?lang=en)

[01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/t sk/tsk_ic_postoffice_enable.htm?lang=en](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/configuring/t sk/tsk_ic_postoffice_enable.htm?lang=en) (see the procedure)

QUESTION 72

To make use of a newly added javascript extension available in a workflow script node, which of following is valid example line added to scriptframework.properties file?

- A. ITIM.extension.AccountTemplate=com.acme.test.CustomWorkflowExtension
- B. ITIM.extension.workflow.acme=com.acme.test.CustomWorkflowExtension
- C. ITIM.extension=com.acme.test.CustomWorkflowExtension
- D. ITIM.workflow=com.acme.test.CustomWorkflowExtension

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.3/com.ibm.isim.doc_6.0.0.3/reference/ref/ref_ic_props_supp_scriptframework.htm?lang=en)

[01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.3/com.ibm.isim.doc_6.0.0.3/reference/ref/ref_ic_props_supp_scriptframework.htm?lang=en](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.3/com.ibm.isim.doc_6.0.0.3/reference/ref/ref_ic_props_supp_scriptframework.htm?lang=en)

QUESTION 73

Which is true for the relationship between provisioning policies, services, and roles?

- A. A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
- B. A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy can be anywhere in the tree of the organization.
- C. A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
- D. A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy can be anywhere in the tree of the organization.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cpt_ic_plan_orgtree_scope_polprov.htm)

[01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cpt_ic_plan_orgtree_scope_polprov.htm](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cpt_ic_plan_orgtree_scope_polprov.htm)

QUESTION 74

When applying an IBM Security Identity Manager (ISIM) fixpack in a clustered ISIM installation which statement is correct?

- A. Websphere application and messaging clusters must be stopped prior to installing the ISIM fixpack.
- B. Websphere application and messaging clusters must be running prior to installing the ISIM fixpack.
- C. All Websphere processes must be stopped prior to installing the ISIM fixpack.
- D. All Websphere processes must be running prior to installing the ISIM fixpack.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

genuine answer.

QUESTION 75

Which actions are best practice for securing IBM Security Identity Manager LDAP data?

- A. Disabling anonymous read access, enabling SSL communication only
- B. Allow only read access to IBM Security Identity Manager LDAP
- C. Run the IBM Security Identity Manager server as non-root user
- D. Enabled WebSphere global security

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/securing/cpt/cpt_ic_security_ssl_recommend.htm?lang=en)

01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/securing/cpt/cpt_ic_security_ssl_recommend.htm?lang=en (expand security, and click secure environment practices, see table 1)

QUESTION 76

When gathering requirements for a Provisioning Policy design, which type of owner is used for orphan accounts?

- A. An owner with a contractor email address
- B. An account manager
- C. An account owner
- D. A group owner

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 77

When gathering requirements for setting the Password policy which two tasks should be identified for system-wide password settings? (Choose two)

- A. Synchronizing password changes for all sponsor accounts
- B. Enabling forgotten password authentication
- C. Enabling forgotten password date rule
- D. Creating a password strength rule

E. Creating a password notation rule

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

rightful.

QUESTION 78

A customer wants to query services that have communication failures and initiate recovery actions.

What is the recommended design approach?

- A. Write custom code to query the ISIM Database tables to find services that have had communication failure. Recovery is not possible, blocked requests on these services will need to be resubmitted.
- B. Write custom code to query the ISIM Database tables to find services that have communication failure. After communication is restored, ISIM will automatically retry requests that were blocked.
- C. Use the ISIM Administration console to query services with a Failed status. After communication is restored, resubmit blocked requests.
- D. Use the ISIM Administration console to query services with a Failed status. After communication is restored, retry blocked requests.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

straight answer.

QUESTION 79

Which interface needs to be implemented to create a custom password generator?

- A. `com.ibm.tivoli.itim.passwordrules.PasswordGenerator`
- B. `com.ibm.passwordrules.PasswordGenerator`
- C. `generator.ibm.tivoli.itim.CustomGenerator`
- D. `com.ibm.passwordrules.Rule`

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/admin/tsk/tsk_ic_admin_pwdrules_customgenerator.htm?lang=cs

QUESTION 80

The criteria to setup indexes for a Directory Server attribute is based on what?

- A. The frequency of replicating objects containing the attribute to a replica.
- B. The frequency of reading and writing information to / from the attribute.
- C. The frequency of writing information to the attribute.
- D. The frequency of reading information based on the attribute's contents.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

fit,

QUESTION 81

On a 32-bit operating system what is the recommended maxheap value specification for ISIM's jvm?

- A. 1280MB
- B. 4096MB
- C. 1024MB
- D. 2048MB

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

agreed with the given answer.

QUESTION 82

Which two of the following are relevant to password retrieval by a user using a URL?

- A. enrole.generic.randomizer should be set to true for generation of random URL for each password retrieval request.
- B. enrole.password.retrievalURL should be set to the value of the URL where the user can retrieve the password.
- C. The shared secret attribute of the Person object should be populated by the user beforehand.
- D. enrole.workflow.notifyPassword should be set to false.

E. enrole.password.retrieval should be set to true.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Reference: http://publib.boulder.ibm.com/tividd/td/ITIM/SC32-1152-02/en_US/PDF/im451_enduser.pdf (page 15, retrieving new passwords)

QUESTION 83

Given an IBM Security Identity Manager test environment which is a valid option for testing thousands of TDI/RMI adapters?

- A. Point IBM Security Identity Manager test environment services to production environment end points to be managed
- B. Use the threaded_damlservice.pl script from the IBM Security Identity Manager tuning guide
- C. Install thousands of separate TDI dispatchers
- D. Use the virtual service adapter setup

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

absolute answer.

QUESTION 84

A functioning IBM Security Identity Manager (ISIM) test environment has been copied over to a production ISIM environment. Which of the following would validate the application is up and functioning correctly?

- A. Login to the application and perform a password change and verify the request is scheduled and completes successfully.
- B. Login to the WebSphere Administrative Console and validate the status of the ISIM application.
- C. Confirm the database instance for ISIM is running.
- D. Confirm the LDAP instance for ISIM is running.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 85

When planning an ISIM server upgrade, which two of the following processes are NOT preserved? (Choose two)

- A. Windows Active Directory Password Synchronization
- B. Self Service User Interface customization files
- C. Provisioning policy Add/Modify/Remove
- D. Certificate Authority certificates
- E. Identity Feeds

Correct Answer: CE

Section: (none)

Explanation

Explanation/Reference:

Reference: [http://www-](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/installing/cpt/cpt_ic_ins_upg_notpreserved.htm)

[01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/installing/cpt/cpt_ic_ins_upg_notpreserved.htm](http://www-01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/installing/cpt/cpt_ic_ins_upg_notpreserved.htm)

QUESTION 86

Which trace settings would offer the most information when debugging a reconciliation failure?

- A. Remote services, policy and script at DEBUG_MAX
- B. Remoteservices and policy at DEBUG_MAX
- C. Logger.trace.level at DEBUG_MAX
- D. Remoteservices at DEBUG_MAX

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

exact.

QUESTION 87

Which two properties files would be considered for changing the order of sections displayed on the Self Service User Interface and text of the actions within the sections displayed? (Choose two)

- A. SelfServiceScreenText.properties
- B. SelfServiceHomePage.properties
- C. SelfServiceLabels.properties
- D. CustomLabels.properties
- E. SelfServiceUI.properties

Correct Answer: AE

Section: (none)

Explanation

Explanation/Reference:

Okay.